

AERO BOOM®

**HIGH FORCE HYDRAULIC
TOOLS & SOLUTIONS**




TORQUE WRENCH PUMP

ELECTRIC HYDRAULIC TORQUE WRENCH PUMP







Model	Motor Type	Working Pressure	Cooling System	Dimension (Wheel Incl.) (WXDXH)	Oil Flow (lt/min)		Gauge Diam. (mm)	Reservoir Size (mm)	Usable Oil (lt)	Weight (kg)	Motor
					LP	HP					
AFBS 204-2	230V 50/60Hz 1ph 1,5Kw	700 Bar	No	31x53x65 cm	10	1,0	100**	10	8	33	Electric
AFBS 204-2-SC	230V 50/60Hz 1ph 1,5Kw	700 Bar	Yes	31x53x65 cm	10	1,0	100**	10	8	33	Electric



All dimensions may be subject to change without prior notification by the manufacturer. Special customizations upon request.



Standard Manifold: 2 ways (included).
Optional: Special manifold 8 ways.



DMR	DATE	REVISION
DRAWING MODIFICATION HISTORY		
THIS DRAWING IS CONFIDENTIAL. IT IS THE SOLE AND EXCLUSIVE PROPERTY OF AEROBOOM AND IS SUBJECT TO RETURN UPON REQUEST. IT MAY NOT BE COPIED, DUPLICATED, DISCLOSED, TRANSMITTED OR COMMUNICATED IN ANY MANNER, IN ANY MANNER, IN WHOLE OR IN PART, WITHOUT THE PRIOR WRITTEN CONSENT OF THE OWNER. NO PART OF THIS DRAWING MAY BE USED FOR ANY PURPOSES OTHER THAN IN RELATION TO THE SINGLE CIRCUMSTANCE IN CONNECTION WITH WHICH IT HAS BEEN SUPPLIED. FOR COPYRIGHT PURPOSES, THIS IS DEEMED TO BE THE PROPERTY OF THE DOCUMENT AND TO ANY DESIGN CALCULATIONS, RESULTS OR OTHER CONCEPTUAL MATTER DERIVED THEREFROM.		
AEROBOOM - ALL RIGHT RESERVED		

TECHNICAL FEATURES		
Maximum pressure		700 Bar
Return pressure		70 Bar
Oil flow rate	BP	10 L/min. up to 70 bar
	HP	0,95 L/min. up to 700 bar
Engine power		1,5 kW
Plug connection		CEE 16A BLEU 2P+G
Voltage		230V-50/60Hz - 1ph.
Usable oil volume		8 L - Total 10 L.

UNLESS OTHERWISE STATED: ALL DIMENSIONS IN MILLIMETERS ALL UNSTATED CHAMFERS 1x45 SURFACE FINISH 3.2 REMOVE SHARP EDGES IF IN DOUBT ASK				
DO NOT SCALE DRAWING	SCALE			
	1:4			
DIMENSIONS WITHOUT TOLERANCES MEDIUM PRECISION - ISO2768 UNI EN22768	DATE			DRAWING TITLE
MATERIAL	HEAT TREAT			AFBS2 04-2-SC - 700 bar electric unit with heat-exchanger
WEIGHT (kg)				SUR. TREAT
33	WITHOUT OIL			



DMR	DATE	REVISION
DRAWING MODIFICATION HISTORY		
THIS DRAWING IS CONFIDENTIAL. IT IS THE SOLE AND EXCLUSIVE PROPERTY OF AEROBOOM AND IS SUBJECT TO RETURN UPON REQUEST. IT MAY NOT BE COPIED, DUPLICATED, DISCLOSED, TRANSMITTED OR COMMUNICATED TO A THIRD PARTY IN ANY MANNER, IN WHOLE OR IN PART, THEREOF, WITHOUT THE PRIOR WRITTEN CONSENT OF THE OWNER. NO PART OF IT BE USED FOR ANY PURPOSES OTHER THAN IN RELATION TO THE SINGLE CIRCUMSTANCE IN CONNECTION WITH WHICH IT HAS BEEN SUPPLIED. FOR COPYRIGHT PURPOSES, THIS IS DEEMED TO APPLY EQUALLY TO THE DOCUMENT AND TO ANY DESIGN, CALCULATION, RESULTS OR OTHER CONCEPTUAL MATTER DERIVED THEREFROM.		
AEROBOOM - ALL RIGHT RESERVED		

UNLESS OTHERWISE STATED: ALL DIMENSIONS IN MILLIMETERS ALL UNSTATED CHAMFERS 1X45 SURFACE FINISH 3.2 REMOVE SHARP EDGES IF IN DOUBT ASK					
DO NOT SCALE DRAWING		SCALE 1:4		DRAWING TITLE	
DIMENSIONS WITHOUT TOLERANCES MEDIUM PRECISION - ISO2768 UNI EN22768		DATE		AFBS2 04-2-SC - 700 bar electric unit with heat-exchanger	
MATERIAL		HEAT TREAT		SUP. TREAT	
WEIGHT (kg) 33 WITHOUT OIL					